



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(800) 727-7883 Phone
(678) 728-0098 Fax

SC1400 STUD WELDING SYSTEM



Made In the USA

DESCRIPTION

The SC1400 is fully integrated stud welding system with digital controls for time and current. This system was designed to be a perfect fit for shop use excelling at small to medium-sized diameter studs, all in a compact, affordable package.

Includes;

1400 Amp Power Supply, TWE18500 Medium Duty stud gun, 35 feet of 2/0 weld and control cable and 25 feet of 2/0 ground cable.

** Specifications are subject to change without prior notice

Version 1.3 10/20/2010

FEATURES

Weld Range	1/4" - 5/8" Diameter	Consistent welding regardless of stud diameter.
Duty Cycle	1/4" Thru 3/8" - Unlimited 1/2" - 22 to 24 per minute 5/8" - 9 to 10 per minute	<ul style="list-style-type: none"> • Smooth arc curve targeted for small to medium-sized diameter studs. • Enhanced Duty Cycle for production requirements. • Capable of up to 100 feet of 2/0 welding cable accommodates a large variety of work station layouts. • Stepless time and current control allow for infinite settings for fine-tuning the welding output. • Stud Job Counter that can be reset for every job.
Dimensions	Height Width Length Weight	22" (559mm) 25" (635mm) 30" (762mm) 380 Lbs. (172kg)
Input Voltages		230 / 460 / 575 VAC 3 Phase 60Hz
Fusing Requirements	(Slow Acting)	230 / 120 Amps 460 / 60 Amps 575 / 50 Amps



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(800) 727-7883 Phone
(678) 728-0098 Fax

SC1600 STUD WELDING SYSTEM



Made In the USA

DESCRIPTION

The SC1600 is fully integrated stud welding system with digital controls for time and current. This system was designed to be a perfect fit for shop use excelling at small to medium-sized diameter studs, all in a compact, affordable package.

Includes;

1600 Amp Power Supply, TWE17000 Heavy Duty stud gun, 35 feet of 4/0 weld and control cable and 25 feet of 4/0 ground cable.

** Specifications are subject to change without prior notice

Version 1.3 10/20/2010

FEATURES

Weld Range	1/4" - 3/4" Diameter	Consistent welding regardless of stud diameter.
Duty Cycle	1/4" Thru 3/8" - Unlimited 1/2" - 22 to 24 per minute 5/8" - 9 to 10 per minute 3/4" - 4 to 5 per minute	<ul style="list-style-type: none"> Smooth arc curve targeted for small to medium-sized diameter studs. Enhanced Duty Cycle for production requirements. Capable of up to 100 feet of 4/0 welding cable accommodates a large variety of work station layouts. Stepless time and current control allow for infinite settings for fine-tuning the welding output. Stud Job Counter that can be reset for every job.
Dimensions	Height Width Length Weight	22" (559mm) 25" (635mm) 30" (762mm) 380 Lbs. (172kg)
Input Voltages		230 / 460 / 575 VAC 3 Phase 60Hz
Fusing Requirements	(Slow Acting)	230 / 120 Amps 460 / 60 Amps 575 / 50 Amps



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

SC2000 STUD WELDING SYSTEM



Made In the USA

DESCRIPTION

The SC2000 is an easy-to-operate stud welding system with two basic controls; time and current. This system can meet all of your stud welding requirements, from the smallest to the largest diameter stud. The ease of set up makes this a perfect system for anyone to use.

Includes;

TWE17000 Heavy Duty stud gun, 50 feet of 4/0 weld and control cable and 25 feet of 4/0 ground cable.

** Specifications are subject to change without prior notice

Version 1.3 10/20/2010

FEATURES

FEATURES		
Weld Range	1/4" - 1" Diameter	Consistent welding regardless of stud diameter.
Duty Cycle	1/4" Thru 3/4" - Unlimited 7/8" - 10 to 12 per minute 1" - 8 per minute	<ul style="list-style-type: none"> Smooth arc curve allows for the wide range of welding. Enhanced Duty Cycle for production requirements. Powerful output for even the largest diameter jobs. Stepless time and current control allow for infinite settings for fine-tuning the welding output. Safety welding interlock keeps system from double triggering.
Dimensions	Height Width Length Weight	27-1/4" (692mm) 22-1/4" (565mm) 35-3/4" (908mm) 540 Lbs. (245kg)
Input Voltages		230 / 460 / 575 VAC 3 Phase 60Hz 220 / 440 / 380 / 400 VAC 3 Phase 50Hz
Fusing Requirements	(Slow Acting)	230 / 150 Amps 460 / 75 Amps 575 / 70 Amps



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

SC2400 STUD WELDING SYSTEM

Heavy Duty Steel Fabrication Shop Stud Welding System



Made In the USA

DESCRIPTION

The SC2400 is a fully integrated stud welding system with two digital controls for time and current. The system was designed to meet the most challenging stud welding jobs.

Includes;

Power Supply Controller, TWE17000 Heavy Duty stud gun, 50 feet of 4/0 weld and control cable and 25 feet of 4/0 ground cable with heavy duty clamp.

FEATURES

Weld Range	1/4" - 1" Diameter	Consistent welding regardless of stud diameter.
Duty Cycle	1/4" Thru 5/8" - Unlimited 3/4" - 18 to 24 per minute 7/8" - 12 to 14 per minute 1" - 6 to 8 per minute	<ul style="list-style-type: none"> Enhanced Duty Cycle for production requirements. Powerful output for even the largest diameter jobs. Stepless time and current control allow for infinite settings for fine-tuning the welding output. Safety welding interlock keeps system from double triggering and saves on chuck wear. Stud Job Counter that can be reset for every job.
Dimensions	Height Width Length Weight	29" (736.6mm) 28" (711.2mm) 36" (914.4mm) 665 Lbs. (302kg)
Input Voltages		230 / 460 / 575 VAC 3 Phase 60Hz
Fusing Requirements	(Slow Acting)	230 / 180 Amps 460 / 90 Amps 575 / 80 Amps

** Specifications are subject to change without prior notice



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

SC3400 STUD WELDING SYSTEM



Made In the USA

DESCRIPTION

The SC3400 is a fully integrated stud welding system with two digital controls for time and current. The system was designed to meet the most challenging stud welding jobs, including thru-deck applications (this also includes G90 decking).

Includes;

3000 Amp power supply, TWE17000 Heavy Duty stud gun, 50 feet of 4/0 weld and control cable and 25 feet of 4/0 ground cable.

FEATURES

Weld Range	1/4" - 1" Diameter	Consistent welding regardless of stud diameter.
Duty Cycle	1/4" Thru 5/8" - unlimited 3/4" - 22 to 24 per minute 7/8" - 16 to 18 per minute 1" - 12 to 14 per minute	<ul style="list-style-type: none"> • Smooth arc curve allows for the wide range of welding. • Enhanced Duty Cycle for production requirements. • Powerful output for even the largest diameter jobs. • Stepless time and current control allow for infinite settings for fine-tuning the welding output. • Safety welding interlock keeps system from double triggering. • Stud Job Counter that can be reset for every job.
Dimensions	Height Width Length Weight	28" (736.6mm) 29" (711.2mm) 36" (914.4mm) 760 Lbs. (345kg)
Input Voltages		230 / 460 / 575 VAC 3 Phase 60Hz 400 VAC 3 Phase 50Hz
Fusing Requirements	(Slow Acting)	230 / 200 Amps 460 / 100 Amps 575 / 90 Amps

** Specifications are subject to change without prior notice



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

SC3402 DUAL-GUN STUD WELDING SYSTEM



Made In the USA

DESCRIPTION

The SC3402 is fully-integrated, dual-gun, stud welding system with two digital controls for time and current. The system was designed to meet the most challenging stud welding jobs, including thru-deck applications (this also includes G90 decking).

Includes;

3000 Amp power supply, two (2) TWE17000 heavy duty stud guns, two (2) cable sets of 50-ft. of 4/0 weld and control cable, and two (2) sets of 25-ft. 4/0 ground cable.

FEATURES

Weld Range	1/4" - 1" Diameter	Consistent welding regardless of stud diameter.
Duty Cycle	1/4" Thru 5/8" - unlimited 3/4" - 22 to 24 per minute 7/8" - 16 to 18 per minute 1" - 12 to 14 per minute	<ul style="list-style-type: none"> Smooth arc curve allows for the wide range of welding. Enhanced Duty Cycle for production requirements. Powerful output for even the largest diameter jobs. Stepless time and current control allow for infinite settings for fine-tuning the welding output. Safety welding interlock keeps system from double triggering. Stud Job Counter that can be reset for every job.
Dimensions	Height Width Length Weight	28" (736.6mm) 29" (711.2mm) 36" (914.4mm) 875 Lbs. (397kg)
Input Voltages		230 / 460 / 575 VAC 3 Phase 60Hz 400 VAC 3 Phase 50Hz
Fusing Requirements	(Slow Acting)	230 / 200 Amps 400 / 100 Amps 460 / 100 Amps 575 / 90 Amps

** Specifications are subject to change without prior notice



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

GENERATOR STUD WELDING SYSTEM

Heavy Duty Steel Stud Welding System



Made In the USA

The **TRU-WELD** Diesel Generator is a fully-integrated, stud welding system that offers portability along with your stud welding needs. This system incorporates a SC3400 Heavy Duty Stud Welder with its own portable power source, which enables you to finish jobs effectively and efficiently, without the costly task of disconnecting the power and moving the unit as the job requires.

SYSTEM FEATURES

- Aluminum weather enclosure
- Full sound attenuation
- Critical Sound muffler
- Block engine heater
- Battery charger
- Electronic governor
- Auto-Start control w/over-speed and over-crank shut down
- Automatic low-water shut down
- Alternator w/Permanent Magnet Generator and Automatic Voltage Control
- Two (2) 120 VAC outlets



Version 1.3 10/20/2010

SPECIFICATIONS

Power	480 VAC, 3 Phase
Amp Load Capacity	300 Amps
Generator	256 KVA
Circuit Breaker	350 Amp (Main Line)

** Specifications are subject to change without prior notice

SYSTEM INCLUDES;

- Mobile Generator
- SC3400 Heavy Duty Welder
- TWE17000 Heavy Duty Stud Gun
- 25 ft. 4/0 ground cable w/clamp
- 50 ft. 4/0 starter combo cable
- 100 ft. 4/0 combo cable



[HTTP://TruweldStudWelding.com](http://TruweldStudWelding.com)



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

TWE 17000 Heavy Duty Stud Gun

Made In the USA



DESCRIPTION

The TWE17000 has been designed to fit comfortably for all hands, including when wearing a work glove. The neck of the handle has been tapered so that when grasped, the trigger can be accessed easily, without any unnecessary strain. The handle length allows for better balance of the stud gun and it keeps the welding cable and connector away from your hand, minimizing operator fatigue.

FEATURES

The TWE17000 is approximately 8.5" long from the weld cable to the back cap, and approximately 7" long from the top of the stud gun to the bottom of the handle. The overall weight of the stud gun is approximately 15 pounds (with 8.5 feet of 4/0 weld cable and 8 feet of control cable (This also includes all connectors, legs, and foot piece.).

The TWE17000 can be ordered to operate with any type of stud welding equipment. Simply specify the make and model of your equipment and we will provide you with a stud gun connection that is compatible with you unit, regardless of the manufacturer.

Order your TWE17000 Heavy Duty Stud Gun from your local TRU-WELD Equipment Distributor.



PERRY STUD WELDING

2821 Cole Court
Norcross, GA 30071

(678) 728-0095 Phone
(678) 728-0098 Fax

TWE 18500 Medium Duty Stud Gun

Made In the USA



DESCRIPTION

The TWE18500 has been designed to fit comfortably for all hands, including when wearing a work glove. The neck of the handle has been tapered so that when grasped, the trigger can be accessed easily, without any unnecessary strain. The handle length allows for better balance of the stud gun and it keeps the welding cable and connector away from your hand, minimizing operator fatigue.

FEATURES

The TWE18500 is approximately 6.5" long from the weld cable to the back cap, and approximately 7" long from the top of the stud gun to the bottom of the handle. The overall weight of the stud gun is approximately 11 pounds (with 8.5 feet of 2/0 weld cable and 9 feet of control cable. This also includes all connectors, legs, and foot piece.)

The TWE18500 can be ordered to operate with any type of stud welding equipment. Simply specify the make and model of your equipment and we will provide you with a stud gun connection that is compatible with your unit, regardless of the manufacturer.

Order your TWE18500 Medium Duty Stud Gun from your local TRU-WELD Equipment Distributor.